


Health workers and coronavirus

Clean and disinfect patient areas

How to clean and disinfect

- First clean with detergent (soap) and water, and wipe with rinsed cloth.
- Then wipe with disinfectant like sodium hypochlorite 0.1% (use 0.5% if blood or body fluids) and allow to air dry.
- For smaller surfaces, 70% alcohol or disinfectant wipes can be used.
- Move from cleanest to dirtiest areas, and from higher to lower levels.



When to clean and disinfect

High-risk COVID-19 areas (triage and testing areas, wards, ICUs): At least three times a day

Low-risk COVID-19 OPD and wards: At least once a day

Low-risk COVID-19 ICU and high care: At least twice a day

Areas needing thorough and frequent disinfection

The “patient zone”

- Includes bed rails, bedside cabinet, trolley and equipment around patient.
- Disinfect between each patient. If visibly dirty, clean first.



High-touch surfaces

- Includes tables, desks, phones, keyboards, mouse, door handles, light switches, taps.
- Disinfect after use or every 60 minutes.



Toilets

- Every 3-6 hours.



Screening, triage and testing areas

- Disinfect chairs between each patient.
- If visibly dirty, clean first.



Shared medical equipment

- Disinfect after each use.

Testing booths

- Between each patient.

